PATENT SPECIFICATION

(11)1 242 298

DRAWINGS ATTACHED

(21) Application No. 23088/69 (22) Filed 6 May 1969


(23) Complete Specification filed 5 Nov. 1969

(45) Complete Specification published 11 Aug. 1971

(51) International Classification G 07 f 17/34 A 63 f 9/02

(52) Index at acceptance G4V H8 PX6 A6H 4A2 4B2

(72) Inventor ERIC JACOBS



(54) COIN OR TOKEN OPERATED AUTOMATIC AMUSEMENT MACHINE

We. Phonographic Technical LIMITED, a British Company, of Phonographic House, Claremont Road, London, N.W.2, do hereby declare the invention, for 5 which we pray that a patent may be granted to us, and the method by which it is to be performed, to be particularly described in and by the following statement:-

This invention relates generally to coin or 10 token operated automatic amusement machines, and more particularly to an amusement machine which incorporates two different types of amusement machine unit which are so interconnected that one of the 15 units is locked out while the other is being used by a user, who will hereinafter be reterred to as the "player".

A large variety of coin or token operated automatic amusement machines is known 20 and such machines are generally installed in amusement arcades, hostelries, clubs and at other locations particularly public houses. Such machines are often so arranged that if the player achieves certain prescribed objec-25 tives he wins a prize, which may be in the form of one or more coins or tokens repre-

senting certain money values The principal object of the invention is to provide an automatic machine containing two different types of machine unit in which the player initially uses a type of amusement machine unit in which the decision as to whether he wins or loses at each game is largely a matter of chance, there being little 35 or no scope for the exercise of skill. This initial machine may be arranged to provide prizes in the form of cash, tokens or credits. Alternatively, if the player should achieve a prescribed objective the first unit is automati-40 cally locked out and the second unit is brought into operation, any credits standing to the benefi; of the player in respect of his use of the initial machine unit being available to use the second unit without further payment of money or tokens if the player so desires, each credit enabling him to play one

game in the second machine unit. The

second machine unit is also of a kind in which prizes may be won, but the winning of prizes depends wholly or mainly on the skill of the player. The prizes won in the second unit are set up in the form of increased credits, which may be used for additional games in the second unit. However, the player may at any time obtain a prize, which may be in the form of tokens, equivalent to the total number of credits standing to his

The invention consists of a coin or token operated amusement machine comprising a first automatic machine unit of a kind from which the user may either win a prize or attain a first prescribed objective, the winning of a prize or the attainment of the first prescribed objective being dependent mainly on chance, a second automatic machine unit of a kind from which the user may win a prize if a second prescribed objective is met. the attainment of the second prescribed objective being dependent wholly or mainly on skill, and electrical and mechanical control apparatus interconnecting the two units, the control apparatus being so arranged that the second unit is initially locked out and the user is compelled to use the first unit, the attainment of the first prescribed objective causing the first unit to be locked out and the second unit to become operative.

The first unit may be arranged so that in will deliver prizes if certain predetermined objectives are attained and if one particular objective is attained it will cause the second machine unit to become operative, the first machine unit being locked out.

One type of coin or token operated automatic machine according to the invention will now be described with reference to the drawings accompanying the Provisional specification in which:-

Figure 1 is a pictorial view of the automatic amusement machine; and

Figure 2 is a block schematic diagram showing the control apparatus and the interconnections between the two machine units.

benefit, by operating a control.

[Price 25p]

70

Referring initially to Figure 1, there is shown an amusement machine comprising a cabinet 11 in which a first machine unit 12 is contained. This may be of the kind generally known as a "fruit machine" or a variation thereof in which the player operates a handle 13 (or button or electromechanical control) which sets three reels or discs into rotation, the discs having symbols, 10 which may be different kinds of fruit, marked around their peripheries. A detent mechanism is fitted to each disc so that the disc will always stop with one or other of the symbols in alignment with a given line. If 15 three identical symbols of one particular type or any other prescribed combination is achieved then the machine unit will automatically deliver a prize. It is to be understood that the type of unit illustrated is only one example of the kind of unit which may be included as the first machine unit. Other types may be employed, the characteristic being that the winning of prizes depends wholly or mainly on chance.

The first unit is mounted below a sloping table 14 which contains a glass panel 15 and in the example being described three "hold" buttons 16 are provided so that if the player achieves one or a maximum of two desired symbols he may, by pressing the appropriate button or buttons, arrange for one or two of the reels to be held while he plays his next game. This gives him a better chance of achieving a desired combination of those 35 symbols at his next game. If he desires to cancel the "hold" activity he may press a further hutton 17.

At the commencement of his play the player may insert a coin in a slot 18 in the table 14, and it may be arranged that the machine will accept a variety of coins and where necessary give change in money or tokens, which is delivered through a chute 19. Alternatively he may insert a token 45 having a particular value into a slot 20

If the player does no attain the prescribed objective which causes the second machine unit to become operative then he may continue to play on the first unit, any prizes he may win being delivered in the form of couns or tokens through the chute 19 or set up as credits on a credit meter 22

If, however, he achieves the prescribed objective then electrical and or mechanical 55 control apparatus interconnecting the two units is activated to look out the first machine unit, so that the handle 13 for other device) can no longer be operated, and to bring into operation a second machine unit 60 21, on which the player may play any numher of games up to a predetermined maximum number.

The second machine unit in the particular example being described is entitled a "Duck 65 Shoot", which is generally illuminated when

the machine becomes operative. In operation it alternately illuminates a first pictorial symbol 23 and a second pictorial symbol 24. The illumination of the two symbols changes at a certain rate controlled by a relay. The player's object is to press a trigger button 25 at an instant when the "hit" symbol 23 is illuminated.

The game represents the shooting of ducks and the background is a general country scene including a huntsman pointing a gun at a pictorial representation 26 of a duck.

If the player presses the trigger button 25 at an instant when the symbol 23 is illuminated (and this is determined electronically) then the pictorial symbol 26 is set in rotation for a few seconds and an additional credit (or a plurality of credits) is recorded on the credit meter 22. If, on the other hand the "miss" symbol 24 is illuminated at the instant at which the player presses the trigger button 25, then the player has lost that game, the number of credits indicated on the credit meter 22 is reduced by one and a sound representative of duck noises is 90 emitted by the machine unit.

It will be appreciated that to press the trigger button 25 at the correct instant is a matter of skill and judgement on the part of the player and requires quick reaction to the alternate illumination of the symbols 23 and 24. The rate at which the symbols alternatively flash may be so chosen that a person having keen sight and good reactions may achieve considerably more than 50% wins 100 and in fact his total may be as high as 100% whereas if the trigger button 25 is just pressed at random then by the ordinary law of averages he should only achieve 50% wins over a long period. 105

The player may at any time collect his accumulated winnings in the form of tokens hy pressing a further button 27.

The recovery of the credits automatically causes the credit meter 22 to be reset to zero 110 and the machine returns to its original conditwo when the game of skill 21 is locked out and subsequent play can only commence by playing on the first unit by inserting coins or tokens and operating the handle 13 or its 115 quivalent.

Figure 2 is a block schematic diagram showing the electromechanical control apparatus interconnecting the two machine units. The reel or drum mechanism of the 120 first unit is indicated at 28. This is provided with appropriate contacts (not shown) which are all closed if the three reels stop in the positions in which the first prescribed obsective is attained. Closure of these contacts 125 energizes a "shot" unit 29. Actuation of the device 29 energizes an electromagnetic actuator or solenoid 31 which locks the operating handle 13 (Figure 1) of the first

80

75

1. 接头

machine arranged and adapted to operate substantially as herein described, with reference to and as illustrated in the drawings accompanying the Provisional specification. EDWIN C. AXE & CO., Chartered Patent Agents, Chartered Patent Agents Agents for the Applicants.

Printed for Her Majesty's Stationery Office by Burgess & Son (Abingdon), Ltd.—1971.


Published at The Patent Office, 25 Southampton Buildings, London, WC2A 1AY, from which copies may be obtained.

1242298 2 SHEETS

PROVISIONAL SPECIFICATION


This drawing is a reproduction of the Original on a reduced scale

Sheet 1



1242298 PROVISIONAL SPECIFICATION

2 SHEETS This drawing is a reproduction of the Original on a reduced scale Sheet 2



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
П отнер.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.